

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1. (currently amended): A cut-and-stack form label capable of application to containers by automated labeling machines, the label comprising:

a facestock layer having a first side and a second side;

printed visible indicia selectively applied to one or more portions of at least one of said first and second sides of said facestock layer; and

at least one tactile coating layer selectively applied to discrete portions of said first side of said facestock layer to create distinct raised portions on the label for tactile feel.

2. (original) The label of claim 1, further comprising a primer applied to said first side of said facestock layer.

3. (previously presented) The label of claim 1, wherein said tactile coating layer is applied to said first side of said facestock layer such that the location of said tactile coating layer substantially corresponds to the location of at least a portion of said visible indicia.

4. (original) The label of claim 1, wherein said facestock layer comprises transparent cellophane.

5. (original) The label of claim 1, wherein said visible indicia comprises screen printed ink.

6. (currently amended) A cut-and-stack form label capable of application to containers by automated labeling machines, the label comprising:

a facestock layer formed from transparent cellophane and having a first side and a second side; and

visible indicia selectively screen printed to one or more portions of at least one of said first and second sides of said facestock layer.

7. (currently amended) A labeled product package, comprising:

a container having a surface for receiving a label; and

a cut-and-stack form label capable of application to containers by automated labeling machines, disposed on said surface, said label comprising:

a facestock layer formed from cellophane and having a first side and a second side,

printed visible indicia selectively applied to one or more portions of at least one of said first and second sides of said facestock layer,

at least one tactile coating layer selectively applied to discrete portions of said first side of said facestock layer to create distinct raised portions on the label for tactile feel, and

an adhesive layer applied to said second side of said facestock layer.

8. (original) The labeled product package of claim 7, wherein said selectively applied tactile coating layer is applied to said first side of said facestock layer such that the location of said tactile coating layer substantially corresponds to the location of at least a portion of said visible indicia.

9. (original) The labeled product package of claim 7, further comprising a primer applied to said first side of said facestock layer.

10. (currently amended) A labeled product package, comprising:  
a container having a surface for receiving a label; and  
a cut-and-stack form label capable of application to containers by automated labeling machines, disposed on said surface, said label comprising:  
a facestock layer comprising cellophane and having a first side and a second side,  
printed visible indicia selectively screen printed to one or more portions of at least one of said first and second sides of said facestock layer, and  
an adhesive layer applied to said second side of said facestock layer.

11. (original) The labeled product package of claim 10, further comprising:  
at least one tactile coating layer selectively applied to discrete portions of said first side of said facestock layer to create distinct raised portions on the label for tactile feel.

12. (currently amended) A supply of labels, comprising:  
a plurality of discrete cut-and-stack form labels ~~provided~~ arranged in a stack and capable of application to containers by automated labeling machines,  
each of said labels comprising:

a facestock layer formed from cellophane and having a first side and a second side;

printed visible indicia selectively applied to one or more portions of at least one of said first and second sides of said facestock layer, and

at least one tactile coating layer selectively applied to discrete portions of said first side of said facestock layer to create distinct raised portions on the label for tactile feel.

13. (original) The supply of adhesive coated labels of claim 12, wherein said labels further comprise a primer applied to said first side of said facestock layer.

14. (currently amended) A method of making ~~an adhesive-coated~~ a cut-and-stack form label capable of application to containers by automated labeling machines, comprising:

applying printed indicia to a side surface of a facestock;

selectively applying at least one layer of tactile coating to discrete areas of the facestock layer to create distinct raised portions on the label for tactile feel.

15. (original) The method of claim 14 further comprising:

die cutting the facestock to form discrete label shapes.

16. (original) The method of claim 14, wherein applying indicia to a side surface of the facestock includes screen printing ink to the side surface.